




888-680-4466 • ShopBotTools.com

Dust Collection Setup

For ShopBot Desktop Tools



ShopBot Tools, Inc.
3333-B Industrial Drive,
Durham NC 27704

Parts List

- Dust foot
- Dust hose
- Hose clamp
- Desktop tool

Tools Required

- Flathead Screwdriver

Introduction

The dust hose included with Desktop tools has been tested to ensure that it does not exert an excessive amount of force on the dust foot when compressed. It will ONLY be attached at the dust hose mount, which prevents any stress from being exerted on the dust foot.

Installing the Dust Hose

Spindle Equipped ShopBot Desktop



Move the spindle to the bottom of its Z travel, and overlap the hose 1/2" at the top of the plastic tube on the dust foot (blue on top of the dust foot tube is only there to enhance visibility).

Fasten the dust hose to the hose clamp mount location in front of the Z motor with the included hose clamp. The dust hose will "float" as the machine moves up and down, eliminating any stress on the dust foot.



Spindle Equipped ShopBot Desktop



Move the router to the bottom of its Z travel, and install the hose so that it bypasses the first router mount and rests on the top of the second router mount as shown.

Fasten dust hose to the hose clamp mount located in front of the Z motor with the included hose clamp. The dust hose will rest on and be supported by the lower router bracket, eliminating any potential stress on the dust foot.

